

200100160

HHE UNITED STATES OF AMERICA

Forth Jakota Agricultural Experiment Station

MILECULARY THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE; OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN DUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY ACTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A EXTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE

SOYBEAN

'SD1091RR'

In Testimony Mexest, I have hereunto set my hand and caused the seal of the Munt Muriety Protection Office to be affixed at the City of Washington, D.C. this twelfth day of September, in the year two thousand one.

Pal M. Jamboul

Commissioner Plant Varioty Protection Office Agricultural Marketing Service Menemon — Agriculture U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued 6 400.5.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(mondono dila micrination concor	aon baraon diatomoni on reverso)		1		
1. NAME OF OWNER SOUTH DAKOTA AGR	ICULTURAL EXPERIMENT	I ON.	2. TEMPORARY DESIGNATIO EXPERIMENTAL NAME SD92-1233G	N OR 3. VARIETY NAME SD1091RR	
4. ADDRESS (Street and No., or R.F.D. No.,	. City, State, and ZIP Code, and Country)		5. TELEPHONE (include area	code) FOR OFFICIAL USE ONLY	
SOUTH DAKOTA STATE AGRICULTURAL HALL	UNIVERSITY			(605) 688-4149 6. FAX (include area code) 605 688 6065	FILING DATE
7. IF THE OWNER NAMED IS NOT A "PERS	ON", GIVE FORM OF 8. IF	INCORPORAT	TED, GIVE	9. DATE OF INCORPORATION	4/2/2001
ORGANIZATION (corporation, partnership, SD AGRIC EXPERIMEN)		ATE OF INCC	RPORATION		
10. NAME AND ADDRESS OF OWNER REP		CATION. (Firs	st person listed will re	ceive all papers)	FILING AND EXAMINATION
DR. KEVIN KEPHART, SD AGRICULTURAL EXI AG HALL 129, BOX 22 SOUTH DAKOTA STATE BROOKINGS, SD 570	PERIMENT STATION 207				E FEES: \$ 2,705,00 B C DATE 4/00/2001 V CERTIFICATION FEE: \$ 320
11. TELEPHONE (include area code)	12. FAX (Include area code)	13. E-MA	AIL .		14. CROP KIND (Common Name)
(605) 688-4149	605 688 6065	Kevi	n_Kephart	@sdstate.edu	soybean
yenfication that tissue culture we repository) g. Filing and Examination Fee (\$2, States* (Meil to the Plant Variety) 22. HAS THE VARIETY (INCLUDING ANY HAIFROM THIS VARIETY BEEN SOLD, DISPOSITER COUNTRIES?	History of the Variety tness n of Variety n of the Variety (Optional) is of the Owner's Ownership intreated seeds or, for tuber propagated varies iil be depositied and maintained in an approve 705), made payable to "Treasurer of the Unite y Protection Office) RVESTED MATERIAL) OR A HYBRID PRODU DSED OF, TRANSFERRED, OR USED IN THI NO OF FIRST SALE, DISPOSITION, TRANSFER ASTANCES. (Please use space indicated on	dies, ad public d JCED E U. S. OR	20. DOES THE ON VARIETY BE IS IF YES, SPECINUMBER 1, 2, (If additional energy Property Reference in the property Reference	SEED? See Section 83(a) of the fill yes, answer items 20 and 21 below) WNER SPECIFY THAT SEED OF IMITED AS TO NUMBER OF CLIMITED AS TO NUMBER OF CLIMITED AS TO NUMBER OF CLIMITED AS TO NUMBER OF GENERATIONS? WNER SPECIFY THAT THE CLAYON ON NUMBER OF GENERATIONS? IFY THE FOUNDATION SPANNING OF THE FOUNDATION IS NECESSARY, please use space independent of the INTERPRETATION OF THE INTERPRETATI	ASSES? ON REGISTERED CERTIFIED SSES BE YES NO N REGISTERED CERTIFIED See the space indicated on the reverse.) HE VARIETY PROTECTED BY INTELLECTUAL TOR PATENT)? NO ISSUANCE AND ASSIGNED ficated on reverse.)
The undersigned owner(s) is(are) the owne and is entitled to protection under the provi-	re will be deposited in a public repository and or of this sexually reproduced or tuber propaga sions of Section 42 of the Plant Variety Protect sions of Section and peopardize protection and	ited plant varie	ety, and believe(s) tha		
SIGNATURE OF OWNER	<i>f</i> -		SIGNATURE OF O	WNER	
NAME (Please print or type) Kevin D. Ke	phart	• !	NAME (Please prin	nt or type)	
CAPACITY OR TITLE Director, SD Agric Experiment	10202	, ,	CAPACITY OR TITI		DATE
&T-470 (2-99) designed by the Plant Variety Pro	tection Office with WordPerfect 6.0a. Replace	es STD-470 (6	3-98) which is obsolet	te. (See reverse for instruc	tions and information collection burden statement)

200100160

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner, (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,705 (\$320 filing fee and \$2,385 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initiated and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$320 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM 18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 21. See Section 83 of the Act for the Contents and Term of Plant Variety Protection.
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

USA - March 30, 2000 foundation seed was offered for sale.

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

US patent; issued May 6, 1997; Appl. # 476008; Patent Ref # 5,627,061

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-7504. (Voice and TDD). USDA is an equal opportunity provider and employer.

S&T-470 (2-99) designed by the Plant Variety Protection Office with WordPerfect 6.0a. Replaces STD-470 (6-98) which is obsolete.

Exhibit AOrigin and Breeding History of SD1091RR Soybean

In 1996 Monsanto Company licensed to SDSU, rights to use Monsanto's Roundup Ready gene to develop soybean cultivars tolerant to Roundup herbicide. Seeds supplied to SDSU under this licensing agreement consisted of 50 BC1F2 seeds derived by Monsanto from crossing soybean variety 'Resnick' with soybean genotype "40-3-2", which Monsanto had transformed with a gene which imparts Roundup herbicide tolerance. Monsanto subsequently backcrossed the gene from their transformed line 40-3-2 into soybean cultivars of various maturity groups for distribution at different geographic latitudes in the US. The Resnick backcross was the variety most adapted to the northern latitudes where SD is located. The pedigree of the material used to develop SD1091RR was as follows: [Resnick (2) x 40-3-2].

During summer 1996 the BC1F2 seeds provided by Monsanto were grown to produce BC1F3 plants, which were sprayed with Roundup. Sixteen plants that did not contain the Roundup Ready gene were killed. Remaining resistant plants were used as the male parents in crosses with the cultivar "Surge", which is a SD cultivar not tolerant to Roundup. Three backcrosses were made to Surge in the growth chamber during winter 1996. Plants grown after each backcross were sprayed with Roundup to identify the resistant plants to be used in the next backcross. The pedigree of SD1091RR, therefore, is as follows: [Surge (4) x (Resnick (2) x 40-3-2)]. During summer 1997, BC3F2 seeds were produced in the field. During winter 1997 BC3F3 plants were grown in the greenhouse, and single plants were harvested. Ninety BC3F3 plant rows were grown in greenhouse soil beds and sprayed with Roundup to identify heterozygous rows. Of the 90 rows, 16 were segregating for undesirable traits, and were discarded.

Of the 74 remaining rows, 50 were gray and 24 were tawny pubescence. Tawny rows were discarded. Of the 50 gray-pubescence rows, 37 were homozygous for tolerance to Roundup, and BC3F4 seeds were harvested from these. In 1998, these 37 rows (BC3F4 plants) were evaluated in an augmented randomized complete block design. The recurrent parent, Surge, was replicated three times in the block to provide statistical comparisons. Data were recorded for: lodging, plant height, pubescence color, pod color, and maturity. At the same time in the greenhouse, from remnant seed, each row was evaluated for phytophthora root rot.

Twenty six rows that closely matched the yield and phenotyic characteristics of the recurrent parent, Surge, and contained the Rps1-a gene for phytophthora resistance were composited to form SD1091RR. This BC3F5 seed was used to grow a one-acre breeders seed increase in Chile South America in winter 1998. The BC3F6 seed was used for yield and agronomic evaluations at six locations, and tolerance evaluations at three locations in 1999. Foundation seed (BC3F7) was produced by the SD Foundation Seed Stocks Division concurrently with yield and agronomic evaluations in 1999. Additional yield and agronomic evaluations were conducted at eight locations, and tolerance evaluations at three locations across SD in 2000 using BC3F7 seed. In March 2000, Foundation seed was distributed to Certified Seed Growers for increase, and SD1091RR (BC3F8) was approved for release by the SD variety release committee. In March 2001 seed of SD1091RR was released to growers in South Dakota. The variety may contain up to 0.9% buff hilum color variants.

Exhibit B

Novelty Statement for SD1091RR Soybean

"SD1091RR" soybean is most similar to 'Surge' soybean. The key distinguishing trait is that Surge does not contain genes for resistance to Roundup herbicide, while SD1091RR does. As a result, all plants of Surge sprayed with Roundup herbicide at the V3 stage will die, while all plants of SD1091RR will survive the same dosage (Tables 1 and 2). SD1091RR and Surge are similar in plant height, and SD1091 matures 2-3 days later than Surge. Seeds of SD1091RR are 2 g per 100 smaller than Surge. Seed protein of SD1091RR is about 1% lower than Surge.

Table 1. Agronomic traits of soybean varieties across six SD environments in 1999

TRAITS IN SIX 1999 LOCATIONS										
NAME	MATURITY		PLANT	LODGING	SEED	COMPOS	SITION	ROUNDUP		
	(days from	SEED YIELD	HEIGHT	SCORE	WEIGHT	Protein	Oil	TOLERANCE		
	planting)	bu/a	(cm)	(1-5)	(g/100)	(%)	(%)	(% Survival)		
Surge	119.0	42.5	86.4	1.5	18.2	44.0	20.0	0.0		
SD1091RR	121.0	43.0	83.8	1.0	16.0	43.0	20.0	100.0		
CV (%)	3.8	7.6	5	3.5	2.5					
LSD (0.05)	1.8	3.2	7.9	2.2	1.8					

^aPlants were sprayed with 64 ounces per acre of Roundup herbicide at V3 growth stage. These evaluations were conducted in separate tests from the yield trials at 3 locations.

Table 2. Agronomic traits of soybean varieties across eight SD environments in 2000.

TRAITS IN EIGHT 2000 LOCATIONS									
NAME	MATURITY		PLANT	LODGING	SEED	COMPOS	SITION	ROUNDUP®	
	(days from	SEED YIELD	HEIGHT	SCORE	WEIGHT	Protein	Oil	TOLERANCE	
	planting)	bu/a	(cm)	(1-5)	(g/100)	(%)	(%)	(% Survival)	
Surge	113	44.8	81.3	2.0	18.5	43.9	21	0.0	
SD1091RR	116	45.4	86.4	2.0	16	42.2	19.5	100.0	
CV (%)	4.1	9.9	5.5	3.7	2.2				
LSD (0.05)	2.1	2.1	6.6	3	1.4				

^aPlants were sprayed with 64 ounces per acre of Roundup herbicide at V3 growth stage. These evaluations were conducted in separate tests from the yield trials at 3 locations.

Figure 1. Polyacrylamide gels containing PCR amplifications comparing Surge (upper half) and SD1091RR (lower half). Each "vertical lane" was prepared from a single seed out of a random sample from each cultivar.



20010000311

Exhibit B

Novelty Statement for SD1091RR Soybean

"SD1091RR" soybean is most similar to 'Surge' soybean. The key distinguishing trait is that Surge does not contain genes for resistance to Roundup herbicide, while SD1091RR does. As a result, all plants of Surge sprayed with Roundup herbicide at the V3 stage will die, while all plants of SD1091RR will survive the same dosage (Tables 1 and 2). SD1091RR and Surge are similar in plant height, and SD1091 matures 2-3 days later than Surge. Seeds of SD1091RR are 2 g per 100 smaller than Surge. Seed protein of SD1091RR is about 1% lower than Surge.

Table 1. Agronomic traits of soybean varieties across six SD environments in 1999

TRAITS IN SIX 1999 LOCATIONS									
NAME	MATURITY		PLANT	LODGING	SEED	COMPOS	SITION	ROUNDUP	
	(days from	SEED YIELD	HEIGHT	SCORE	WEIGHT	Protein	Oil	TOLERANCE	
	planting)	bu/a	(cm)	(1-5)	(g/100)	(%)	(%)	(% Survival)	
Surge	119.0	42.5	86.4	1.5	18.2	44.0	20.0	0.0	
SD1091RR	121.0	43.0	83.8	1.0	16.0	43.0	20.0	100.0	
CV (%)	3.8	7.6	5	3.5	2.5		-		
LSD (0.05)	1.8	3.2	7.9	2.2	1.8				

^aPlants were sprayed with 64 ounces per acre of Roundup herbicide at V3 growth stage. These evaluations were conducted in separate tests from the yield trials at 3 locations.

Table 2. Agronomic traits of soybean varieties across eight SD environments in 2000.

						· · · · · · · · · · · · · · · · · · ·			
TRAITS IN EIGHT 2000 LOCATIONS									
NAME	MATURITY		PLANT	LODGING	SEED	COMPOS	SITION	ROUNDUP	
	(days from	SEED YIELD	HEIGHT	SCORE	WEIGHT	Protein	Oil	TOLERANCE	
	planting)	bu/a	(cm)	(1-5)	(g/100)	(%)	(%)	(% Survival)	
Surge	113	44.8	81.3	2.0	18.5	43.9	21	0.0	
SD1091RR	116	45.4	86.4	2.0	16	42.2	19.5	100.0	
CV (%)	4.1	9.9	5.5	3.7	2.2	•	•	-	
LSD (0.05)	2.1	2.1	6.6	3	1.4				

^aPlants were sprayed with 64 ounces per acre of Roundup herbicide at V3 growth stage. These evaluations were conducted in separate tests from the yield trials at 3 locations.

PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

	,	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
South Dakota Agricultural Experiment Sta	SD92-1233G	SD1091RR
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code		· · · · · · · · · · · · · · · · · · ·
South Dakota State University	,	FOR OFFICIAL USE ONLY
Agricultural Hall 129		PVPO NUMBER
Brookings SD 57007		
Choose the appropriate response which characterizes the varies in your answer is fewer than the number of hoves provided.	ty in the features described b	alam with all the control to
A The considered fulldamental to an adequa	ite soybean variety description	Other characters should be described.
		Other characters should be described
1. SEED SHAPE:		
	ĬĬ	•
	[T]	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	2 = Spherical Flattened (L	/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened (L.	/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Sp	pecify)
2 SEED COAT HUTTED #11		and the second s
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy':	10	•
2 = Shiny ('Nebsoy';	Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 6 Grams per 100 seeds		-
5. HILUM COLOR: (Mature Seed)		
5 1 = 8uff - 2 = Yellow 3 = Brown 4 = 6		
2 = Yellow 3 = Brown 4 = 0	Gray 5 = Imperfect Black	6 = Black 7 = Other (Specify)
5. COTYLEDON COLOR: (Mature Seed)	·	
[[]		-
1 = Yellow 2 = Green		
. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 1 = Low 2 = Hiph		
1 = Low 2 = High		
SEED PROTEIN ELECTROPHORETIC BAND:	 	
THE TENNELECT ROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	•	
HYPOCOTYL COLOR:		
· ·		
1 = Green only ('Evans'; 'Davis') 2 = Green with bron	ze band below cotyledons (Wood	dworth': 'Tracy'}
3 ≈ Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 ≈ Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker		
	rampton 266A')	
LEAFLET SHAPE:		
3 1 × Lanceolate 2 = Oval 3 = Ovate		
2 = Oval 3 = Ovate	4 = Other (Specify)	
RM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete.)		

11 1	EAFLET SIZE:	
[2 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ("Corsoy 79"; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	2001001007
12. LI	EAF COLOR:	· ·
	2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
★ 13 Ft	OWER COLOR:	
	2 1 = White 2 = Purple 3 = White with purple throat	
★ 14, PO	D COLOR:	7
	2 1 = Tan 2 = Brown 3 = Black	
★ 15. PL	ANT PUBESCENCE COLOR:	
	1 = Gray 2 = Brown (Tawny)	
16. PL/	NT TYPES:	
	1 = Slender ('Essex'; 'Arnsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
★ 17. PLA	NT HABIT:	
	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MAT	URITY GROUP:	
0 3	1 = 000 2 = 00 3 = 0	' = 1V 8 = V
T 19. DISE	ASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
	TERIAL DISEASES:	
^ _	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
* 0	Bacterial Blight (Pseudomonas glycinea)	
* 0	Wildfire (Pseudomonas tabaci)	
FUNG	AL DISEASES:	
* 0	Brown Spot (Septoria glycines)	
	Frogeye Leaf Spot (Cercospora sojina)	
* 🗐	Race 1 Race 2 Race 3 Race 4 Race 5	Other (Specify)
	Target Spot (Corynespora cassiicola)	
0	Downy Mildew (Peronospora trifoliorum var. manshurica)	
لما	Powdery Mildew (Microsphaera diffusa)	
* []	Brown Stem Rot (Cephalosporium gregatum)	
- 1 - 1	Stem Canker (Diaporthe phaseolorum var. caulivora)	

19.	DISEASE REACTI	ON: (Enter 0 = Not Tested	; 1 = Susceptible	; 2 ≈ Resistant)	(Continued)		
		SES: (Continued)			(55)(11)(65)	20010	
*	Pod and St	tem Blight <i>(Diaporthe phase</i>	olorum var; soja	e)			
• .	1	d Stain <i>(Cercospora kikuchi</i>					
÷ .	0 Rhizoctoni	a Root Rot <i>(Rhizoctonia sc</i>	plani)	٠.			
	Phytophtho	ora Rot (Phytophthora meg	asperma var. soja	e)			
*	2 Race 1	0 Race 2 1	Race 3	1 Race 4	0 Race 5	0 Race 6	1 Race 7
. [0 Race 8	Race 9	Other (Specify	<i></i>			
	VIRAL DISEASES	S:	•				
	0 Bud Blight (Tobacco Ringspot Virus		•			•
	O Yellow Mosa	nic (Bean Yellow Mosaic Vit	rus)	•	•		
* [O Cowpea Mos	aic (Cowpea Chlorotic Viru	s)				**
اِ	Pod Mottle (i	Bean Pod Mottle Virus)				•	• .
* [Seed Mottle ((Soybean Mosaic Virus)					
,	EMATODE DISEA	ASES:					
•	Soybean Cyst	Nematode (Heterodera gly	cinest				
* [O Race 1		Race 3	Race 4	Other (Sp	noiful	
	Lance Nemato	ode (Hoplolaimus Colombus	r)	<i>u</i> ,	Omer 130	ac//y/	
* [Southern Roo	t Knot Nematode (Meloido	gyne incognita)				
* [Northern Roos	t Knot Nematode (Meloidos	yne Hapla)				•
	Peanut Root K	not Nematode <i>(Meloidogy)</i>	ne arenaria)	•			
	Reniform Nem	atode (Rotylenchulus renif	ormis)				
	OTHER DISEA	ASE NOT ON FORM (Speci	ify):				
	-						
20. PHYS ★ 2		PONSES: (Enter 0 = Not T	ested; 1 = Susces	otible; 2 = Resist	ant)		
^ [-	fron Chlorosis o	n Calcareous Soil				·	
	Other (Specify)				·	•	
21. INSEC	T REACTION: (E	nter 0 = Not Tested; 1 = Si	sceptible; 2 = Re	esistanti			
0		eetle (Epilachna varivestis)		•			
0		per (Empoasca fabae)					
			<u> </u>				
22. INDICA		ETY MOST CLOSELY RE					-
	RACTER	NAME OF VARI					
Plant Sh	аре	Surge		CHARAI		NAME OF V	ARIETY
Leaf Sha	эре	Surge		Seed Coat I	Luster	Surge	
Leaf Co!	or	Surge		Seed Shape		Surge	
Leaf Size	2	Surge		Seed Shape Seedling Pig		Surge	•
					mentation	Surge	
FORM LMGS	470-57 (6-83)						

77	GIVE DATA FOR SUBMITTED AND SIMILAR	AT 4415 4	
	CIT - DOING ON SOUND HED AND SIMIL AR	I STANDARD VADIETY.	B-1 - 1

	T		r	 _				C ~ 200 A						
VARIETY	NO. OF DAYS MATURITY	DAYS	DAYS	DAYS	DAYS	DAYS	PLANT LODGING	CM PLANT	LEAFL	ET SIZE	SEED COM		SEED SIZE G/100	NO.
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	SEEDS/ POD					
SD1091RR Submitted	121	1.0	83.8	8.3	12.0	43	20	16.0	3					
Surge Name of Similar Variety	119	1.5	86.4	6.3	9.0	44	20	18.2	3					

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995					
EXHIBIT E	Application is required in order to de	termine if a plant variety protection				
STATEMENT OF THE BASIS OF OWNERSHIP	certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).					
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME				
SOUTH DAKOTA STATE UNIVERSITY	OR EXPERIMENTAL NUMBER					
EXPERIMENT STATION	CD00 1000C	CD1001DD				
EM ENTITEIT STATEON	SD92-1233G	SD1091RR				
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)				
SOUTH DAKOTA STATE UNIVERSITY						
AGRICULTURAL HALL 129	(605) 688-4149	605 688 6065				
BROOKINGS, SD 57007	7. PVPO NUMBER	* * * * * * * * * * * * * * * * * * *				
	200					
8. Does the applicant own all rights to the variety? Mark an "X" in appropri	into blook 16 no -long similar					
o. Soes the opposite out an ignis to the vallety? Mark art X in appropr	iate block. If no, please explain.	YES X NO				
The variety contains Monsanto's Roundup Ro	eady gene, which South D	akota Agricultural				
Experiment Station has permission to use	via a commercialization	agreement with				
Monsanto.		•				
9. Is the applicant (individual or company) a U.S. national or U.S. based co	ompany?	JYES NO				
If no, give name of country		* '				
10. Is the applicant the original owner?	O If no, please answer one of the fo	llowing:				
a. If original rights to variety were owned by individual(s), is (are) the ori	ginal owner(s) a U.S. national(s)?					
[] YES [] N	O If no, give name of country					
b. If original rights to variety were owned by a company(ies), is(are) the	original owner(s) a U.S. based company	?				
[] (12)	O If no, give name of country	•				
11. Additional explanation on ownership (if needed, use reverse for extra sp	ace):					
		-*				
PLEASE NOTE:	· · · · · · · · · · · · · · · · · · ·					
•						
lant variety protection can be afforded only to owners (not licensees) who meet on	e of the following criteria:					
. If the rights to the variety are owned by the original breeder, that person must be which affords similar protection to nationals of the U.S. for the same genus and	a U.S. national, national of a UPOV memberspecies.	r country, or national of a country				
. If the rights to the variety are owned by the company which employed the origin member country, or owned by nationals of a country which affords similar protection.	al breeder(s), the company must be U.S. base	ed, owned by nationals of a UPOV				
		·				
. If the applicant is an owner who is not the original owner, both the original owner	er and the applicant must meet one of the abo	ove criteria.				
he original breeder/owner may be the individual or company who directed final br	ceding. See Section 41(a)(2) of the Plant Va	ricty Protection Act for definition.				
According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collect this information collection is 0581-0055. The time required to compete this information collection searching existing data sources, gathering and maintaining the data needed, and completing and n	on is estimated to average 10 minutes per response	trol number. The valid OMB control number for , including the time for reviewing instructions,				
The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative USDA's TARGET Center at 202-720-2600 (voice and TDD).	race, color, national origin, sex, religion, age, disabilit means for communication of program information (bri	, political beliefs, and marital or familial status. like, large print, audiotape, etc.) should contact				
To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washing employment opportunity employer.	ngton, D.C. 20250, or call 1-800-245-6340 (voice)	or (202) 720-1127 (TDD). USDA is an equal				

STD-470-E (07-97) (Destroy previous editions).
Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.